OCTOBER 2025



## 1. IDENTIFICATION

#### 1.1 PRODUCT IDENTIFIER

Product Name: Industrial and Construction RTV Silicone

Product Code: RTV408AL, RTV408AL48GL, RTV408AL5GL, RTV408BGE, RTV408BGE48GL,

RTV408BGE5GL, RTV408BL, RTV408BL48GL, RTV408BL5GL, RTV408BRZ, RTV408BRZ48GL, RTV408BRZ5GL, RTV408C, RTV408C48GL, RTV408C5GL, RTV408DT, RTV408T, RTV408T48GL, RTV408T5GL, RTV408W, RTV408W-

48GL, RTV408W5GL

## 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Product Use: Sealant

## 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEETS

Name/Address: C.R Laurence Co., Inc.

2503 E. Vernon Ave. Los Angeles, CA. 90058

**Telephone Number:** (800) 421-6144

#### 1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone CHEMTREC 1-800-424-9300 (US and Canada)

Number: INTERNATIONAL + 1-703-527-3887

## 2. HAZARDS IDENTIFICATION

# 2.1 CLASSIFICATION OF THE CHEMICAL IN ACCORDANCE WITH PARAGRAPH (d) OF 29 CFR 1910.1200 (OSHA HAZCOM2012)

Skin IrritationCategory 2Eye IrritationCategory 2ASkin SensitizationCategory 1CarcinogenicityCategory 1AReproductive ToxicityCategory 2Specific Target Organ Toxicity – Repeated ExposureCategory 2

#### 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM2012

## 2.2a SIGNAL WORD:

DANGER!

## 2.2b HAZARD STATEMENTS

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May cause cancer

Suspected of damaging fertility or the unborn child

May cause damage to organs through prolonged or repeated exposure



## 2. HAZARDS IDENTIFICATION (CONT.)

#### 2.2c HAZARD PICTOGRAMS



## 2.2d PRECAUTIONARY STATEMENTS

i.	PREVENTION	Wash hands thoroughly after handling. Do not breathe vapors/fumes. Do not eat, drink or smoke whileing this product. Use in a well ventilated area. Wear impervious gloves/protective clothing/eye protection. Obtain spæial instructions before use. Do not handle until all safety precautions have been read and understood. Contaminated work clothing must not be allowed out of the workplace.
ii.	RESPONSE	If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash ocurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eyeritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Ca poison center/doctor. If swallowed: Rinse mouth. Doctin induce vomiting. Get medicadvice/attention if you feel unwell.
iii.	STORAGE	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
iv.	DISPOSAL	Dispose of contents/containers in accordance wit <b>l</b> a local, state, provincial, and federal regulations.

## 2.3 ADDITIONAL INFORMATION

# 2.3a HNOC – HAZARDS NOT OTHERWISE CLASSIFIED Not Applicable

## 2.3b UNKNOWN ACUTE TOXICITY

47.6 % of the mixture cossists of ingredient(s) of unknown acute toxicity.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 MIXTURES

Chemical Name	CAS Number	Weight %	
Methyltri(ethylmethylketoxime) silane	22984-54-9	5 – 10%*	
Aminoalkoxysilane	1760-24-3	0.5 – 1.5%*	
Octamethybydotetrasiloxane	556-67-2	0.1 – 1.0%*	
Crystalline Slica, Quartz***	14808-60-7	0.1 – 1.0%*	
Methanol**	67-56-1	0.0 – 2.0%*	

<sup>\*\*</sup>Methanol is not a component in the formulation of this product, however, as this product cures,



# 3. COMPOSITION/INFORMATION ON INGREDIENTS (CONT.)

methanol gas is evolved.

\*\*\*Inhalation of particulates unlikely due to product's physical state.

\*Means that the component will fall into one of the ranges specified due to batch-to-batch variability and to protect Confidential Business Information .

## 4. FIRST AID MEASURES

DOUTED OF EVENOUIDE

## 4.1 DESCRIPTION OF THE FIRST-AID MEASURES

ROUTES OF EXPOSURE	DESCRIPTION	
Eye Contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present easy to do. Get medical attention immediately.	
Skin Contact:	In case of contact, immediately flush skin with plenty of soap and water. For minor skin contact, avoid spreading material on unaffected skin. If skin irritation or rash cours: getmedical attention/advice. Take off contaminated clothing and wash before reuse.	
Inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.	
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.	

## 4.2 MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

ROUTES OF EXPOSUR	RE DESCRIPTION
Eye Contact:	Causes serious eye irritation. Symptoms may include discomfort or pain, excess <b>lin</b> king and tear production, with marked redness and swelling of the conjunctiva.
Skin Contact:	Causes skirriitation. Handing can cause dry skin, discomfort, irritation, and dermatitis. May cause an allergic skin re action.
Inhalation:	May cause respiratory tractritation. May cause damage to organs through prolonged or repeated exposure. This product contains crystalline slica. Prolonged or repeated inhalation of respirablecrystalline silica from this product can cause isosis, a serious disating and fatal lung disease.
Ingestion:	May be harmful if swallowed. Ingestion may cause discomfort and/or distress, nausea or vomiting.

## 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

**Note to Physicians:** Symptoms may not appear immediately.

OCTOBER 2025



## 4. FIRST AID MEASURES (CONT.)

Specific Treatments: In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible).

## 5. FIRE FIGHTING MEASURES

#### 5.1 FLAMMABILITY

Flammability: Not Flammable/Not Combustible by WHMIS/OSHA HAZCOM2012 Criteria

#### **5.2 EXTINGUISHING MEDIA**

## 5.2a. Suitable Extinguishing Media:

Treat for surrounding material.

## 5.2b. Unsuitable Extinguishing Media:

Water

## 5.3 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

## 5.3a. Products of Combustion:

By heating and fire, harmful vapors/gases may be formed. Nitrogen Oxides(corrosive)

## 5.3b. Explosion Data

i. Sensitivity to Mechanical Impact:

Not Available

ii. Sensitivity to Static Discharge:

Not Available

#### 5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear(full bunker gear) and respiratory protection (SCBA).

## 6: ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

## 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

**Methods for Containment:** Recover all usable material. Do not flush to sewer or allow to

enter waterways. Use appropriate Personal Protective Equipment

(PPE).

**Methods for Cleaning-Up:** Dispose of unwanted material properly in accordance with all local,

regional, national and international regulations.

OCTOBER 2025



## 7: HANDLING AND STORAGE

## 7.1 PRECAUTIONS FOR SAFE HANDLING

Handling: Use in well-ventilated areas. Wear impervious gloves and eye

protection. Do not mix with other chemical products , except as indicated by the manufacturers . Do not get in eyes. Do not get on

skin or clothing. Do not breathe vapors/fumes. Do htake

internally.

**General Hygiene Advice:** Use good industrial hygiene practices and wear recommended

personal protection. Launder contaminated clothing before reuse.

Wash hands before eating, drking, or smoking.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

**Storage:** Store locked up. Keep out of the reach of children. Keep container

tightly closed. Store atorom temperature and keep containers

closed when not in use.

## 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 CONTROL PARAMETER

**Exposure Guidelines:** 

Occupational Exposure Limits				
Chemical Name	OSHA-PEL	ACGIH-TLV		
Methyltri(ethylmethylketoxime) silane	Not Available	Not Available		
Aminoalkoxysilane	Not Available	Not Available		
Octamethybydotetrasiloxane	Not Available	10 ppm		
Crystalline Slica, Quartz***	0.05 mg/m³	0.025 mg/m³ (Resp.)		
Methanol	200 ppm	200 ppm		

<sup>\*\*\*</sup>Inhalation of particulates unlikely due to product's physical state.

## **8.2 EXPOSURE CONTROLS**

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels

of dust, fume, vapor, etc.) below recommended exposure

limits.

## 8.3 INDIVIDUAL PROTECTION MEASURES

## 8.3a. Personal Protective Equipment:

i. **Eye/Face Protection:** Wear approved eye protection [properly fitted dust - or splash -proof chemical safety goggles/face (face ship)]

## ii.Skin Protection:

1. Hand Protection: Wear impervious gloves, such as iller.



# 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (CONT.)

- 2. Body Protection: Wear suitable protective clothing.
- iii. Respiratory Protection: A NIOSH approved respirator or filtering face piece, such as N95, is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).
- iv. General Health and Safety Measures: Handle according to established industrial hygiene and safety practices.

## 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.):	Opaque Paste
Odor:	Oxime
Odor Threshold:	Mild
pH:	Not Available
Melting point/Freezing point:	Not Available
Initial boiling point and boiling range:	Not Available
Flash point:	Not Available
Evaporation rate (Water=1):	Not Available
Flammability:	Not Flammable/Not Combustible
Upper Flammability/Explosive Limit:	Not Available
Lower Flammability/Explosive Limit:	Not Available
Vapor Pressure	Not Available
Vapor Density:	Not Available
Relative Density:	1.10 – 1.20 g/mL
Solubility in Water:	Insoluble
Partition coefficient: n-octanol/water:	Not Available
Auto-ignition temperature:	Not Available
Decomposition Temperature:	Not Available
Viscosity (cps):	Not Available
VOC Content:	<34 g/L, less water and exempt solvents

## 10: STABILITY AND REACTIVITY

#### 10.1. REACTIVITY

No dangerous reaction known under conditions of normal use.

## 10.2. CHEMICAL STABILITY

Stable under normal storage conditions. Keep dry in storage.

## 10.3. POSSIBILITY OF HAZARDOUS REACTION

No dangerous reaction known under conditions of normal use.

#### 10.4. CONDITIONS TO AVOID

Heat. Incompatible materials.

## 10.5. INCOMPATIBLE MATERIALS



## 10: STABILITY AND REACTIVITY (CONT.)

Strong oxidizing agents. Water and moisture.

## 10.6. HAZARDOUS DECOMPOSITION PRODUCTS

This product reacts with water, moisture, or humid air to evolve: Methylethylketoxime. Thermal breakdown of this product during fire or extreme heat may evolve: Carbon Oxides, Sicon Dioxide, Nitrogen Oxide. Formaldehyde.

## 11: TOXICOLOGICAL INFORMATION

## 11.1. LIKELY ROUTES OF EXPOSURE:

Skin contact, eye contact, inhalation, and ingestion.

## 11.2. SYMPTOMS RELATED TO PHYSICAL/CHEMICAL/TOXICOLOGICAL CHARACTERISTICS:

**Eye Contact:** Causes serious eye irritation. Symptoms may include discomfort

or pain, excess linking and tear production, with marked redness

and swelling of the conjunctiva.

Skin Contact: Causes skirriitation. Handing can cause dry skin, discomfort,

irritation, and dermatitis. May cause an allergic skin reaction.

**Inhalation:** May cause respiratory tractritation. May cause damage to

organs through prolonged or repeated exposure. This product contains cystalline slica. Prolonged or repeated inhalation of respirable cystalline silica from this product can causitisosis, a

serious disaling and fatal lung disease.

Ingestion: May be harmful if swallowed. Ingestion may cause discomfort

and/or distress, nausea or vomiting.

Acute Toxicity(ATEmix= 3,245 mg/kg)				
Chemical Name LC50 LD50				
Methyltri(ethylmethylketoxime) silane	Not Available	Oral: >2,000 mg/kg, rat		
Aminoalkoxysilane	Not Available	Oral: >7,500 mg/kg, rat		
Octamethybydotetrasiloxane	Not Available	Oral: >4,800 mg/kg, rat		
Crystalline Slica, Quartz	Not Available	Oral: >10,000 mg/kg, rat		

Carcinogenicity			
Chemical Name	Chemical Listed as Carcinogens or Potential Carcinogen (NTP,IARC,OSHA,ACGIH,CP65)		
Methyltri(ethylmethylketoxime) silane	Not Listed		
Aminoalkoxysilane	Not Listed		
Octamethybydotetrasiloxane	Not Listed		
Crystalline Slica, Quartz	N-2,I-1,O-1, ACGIH-A2, CP65		



## 11: TOXICOLOGICAL INFORMATION (CONT.)

## 11.3. DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT AND LONG-TERM EXPOSURE

SHORT-TERM		
Skin Corrosion/Irritation: May cause skin irritation		
Serious Eye Damage/Irritation:	Causes serious eye irritation	
Respiratory Sensitization:	Not Classified	
Skin Sensitization:	May cause an allergic skin reaction	
STOT-Single Exposure:	May cause respiratory irritation	
Aspiration Hazard:	Not Classified	
LONG-TERM		
Carcinogenicity: May cause cancer		
Germ Cell Mutagenicity:	Not Classified	
Reproductive Toxicity:	May damage fertility or the unborn child	
STOT-Repeated Exposure:	Not Classified	
Synergistic/Antagonistic Effects:	Not Classified	

## 12: ECOLOGICAL INFORMATION

#### 12.1. ECOTOXICITY

May cause long -term adverse effects to the aquatic environment. Keep from entry into sewers and waterways.

Ecotoxicity				
Chemical Name	EC50/NOEC-48 Hours	LC50/NOEC-96 Hours		
Methyltri(ethylmethylketoxime) silane	Not Available	Not Available		
Aminoalkoxysilane	81 mg/L, Daphnia magna	597 mg/L, Brachydanio rerio		
Octamethybydotetrasiloxane	Not Available	Not Available		
Crystalline Slica, Quartz	Not Available	Not Available		

## 12.2. PERSISTENCE AND DEGRADABILITY

Not Available

## 12.3. BIOACCUMULATIVE POTENTIAL

Not Available

## 12.4. MOBILITY IN SOIL

Not Available

## 12.5. OTHER ADVERSE EFFECTS

Not Available

## 13: DISPOSAL CONSIDERATIONS

#### 13.1. DISPOSAL METHOD

Dispose of contents/containers in accordance with bocal, state, provincial, and federal regulations

## 13.2. OTHER DISPOSAL CONSIDERATIONS

Not Available



## 14: TRANSPORT INFORMATION

DOT (U.S.)	TDG (CANADA)	IATA			
UN NUMBER:	UN NUMBER:	UN NUMBER:			
Not Regulated	Not Regulated	Not Regulated			
UN PROPER SHIPPING NAME:	UN PROPER SHIPPING NAME:	UN PROPER SHIPPING NAME:			
Not Regulated	Not Regulated	Not Regulated			
TRANSPORT HAZARD CLASS (ES):	TRANSPORT HAZARD CLASS (ES): TRANSPORT HAZARD CLA				
Not Regulated	Not Regulated	Not Regulated			
PACKING GROUP (if applicable):	PACKING GROUP (if applicable): PACKING GROUP (if appli				
Not Regulated	Not Regulated	Not Regulated			

SUMMARY: Product is NOT regulated under DOT/TDG and other transportation regulations.

## 14.1. ENVIRONMENTAL HAZARDS

Not Available

# 14.2. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE Not Available

## 14.3. SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

## 15: REGULATORY INFORMATION

# 15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**Canada:** This producthas been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Roducts Regulations.

**US:** SDS prepared pursuant to the Hazard Communication Standa CFR 1910.1200 HazCom 2012

## 15.2. US FEDERAL INFORMATION:

	SARA TITLE III			
CHEMICAL NAME	SECTION 302 (EHS) TPQ (LBS)	SECTION 304 EHS RQ (LBS)	CERCLA RQ (LBS)	SECTION 313 (TRI)
				· · ·
Methyltri(ethylmethylketoxime) silane	Not Listed	Not Listed	Not Listed	Not Listed
Aminoalkoxysilane	Not Listed	Not Listed	Not Listed	Not Listed
Octamethybydotetrasiloxane	Not Listed	Not Listed	Not Listed	Not Listed
Crystalline Slica, Quartz	Not Listed	Not Listed	Not Listed	Not Listed

#### 15.3. US STATE RIGHT TO KNOW LAWS:

	WARNING: This product can expose you to chemisa
•	including methanol, which is known to the State of Clafornia to




# 15: REGULATORY INFORMATION (CONT.)

cause birth defects or other reproductive harm. For more	
	information go to www.P65Warnings.ca.gov
	Poly(Dimethylsiloxane): CAS#70131-67-8
	Dimethyl sloxane: CAS#63148-62-9
Other U.S. States "Right to	Methyltri(ethylmethylketoxime) silane CAS#22984-54-9
Know" Lists:	Aminoalkoxysilane: CAS#1760-24-3
	Octamethybydotetrasiloxane: CAS#556-67-2
	Crystalline Slica, Quartz: CAS#14808-60-7


## 15.4. GLOBAL INVENTORIES

Chemical Name	USA TSCA	Canada DSL/NDSL
Methyltri(ethylmethylketoxime) silane	Yes	DSL
Aminoalkoxysilane	Yes	DSL
Octamethybydotetrasiloxane	Yes	DSL
Crystalline Slica, Quartz	Yes	DSL

## 15.5. NFPA AND HMIS RATINGS:







2 HEALTH	PROTECTIVE EQUIPMENT INDEX		
	AS	G & · S· ch	
0 FLAMMABILITY	B 60.1	H = + + + + + + + + + + + + + + + + + +	
O REACTIVITY  PERSONAL PROTECTION	C 60-%-1	□ <b>△·%·</b> •	
	D 🖯 + 🗱	U == + # + # + #	
	<b>■☆***</b>	K @ + 4 + 1 + L	
	B	Ask your supervisor for special handling instructions	



# **SECTION 15: REGULATORY INFORMATION (CONT.)**

## 15.6. SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65	California Proposition 65	
OSHA (O)	Occupational Safety and Health Administration	
ACGIH (G)	American Conference of Governmental Industrial Hygienists	
	A1 – Confirmed human carcinogen	
	A2 – Suspected human carcinogen	
	A3 – Animal carcinogen	
	<ul> <li>A4 – Not classifiable as a human carcinogen</li> </ul>	
	A5 – Not suspected a human carcinogen	
IARC (I)	International Agency for Research on Cancer	
	<ul> <li>1 – The agent (mixture) is carcinogenic to humans</li> </ul>	
	<ul> <li>2A – The agent (mixture) is probably carcinogenic to humans;</li> </ul>	
	there is limited evidence of carcinogenicity in humans and	
	sufficient evidence of carcinogenicity in experimental animals.	
	<ul> <li>2B – The agent (mixture) is possibly carcinogenic to humans;</li> </ul>	
	there is limited evidence of carcinogenicity in humans in the	
	absence of sufficient evidence of carcinogenicity in experimental animals.	
	• 3 – The agent (mixture, exposure circumstance) is not classifiable	
	as to its carcinogenicity to humans.	
	<ul> <li>4 – The agent (mixture, exposure circumstance) is probably not</li> </ul>	
	carcinogenic to humans.	
NTP (N)	National Toxicology Program	
	1 – Known to be carcinogens	
	2 – Reasonably anticipated to be carcinogens	

## **16: OTHER INFORMATION**

**Date of Preparation:** July 21, 2015

Version: 1.2

Revision Date: October, 2025

**Disclaimer:** The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.

**Prepared by:**C.R Laurence Co., Inc..
Phone: (800) 421-6144

http://www.crlaurence.com