


AT710 ALUMINUM TRELLIS WITH 8" AIRFOIL BLADE	
LENGTH A (I.D.)	
LENGTH B (I.D.)	
BLADE SPACING	
FINISH/ COLOR	
QTY:	

ALL CUSTOMERS WHO IN ANY WAY UTILIZE THIS PRODUCT ARE SOLELY RESPONSIBLE TO CONSULT A STRUCTURAL ENGINEER TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND SITE CONDITIONS. ALL INSTALLERS MUST BE QUALIFIED AND HAVE PROFESSIONAL KNOWLEDGE ABOUT COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS, SAFETY FACTORS, AND THE APPROPRIATE CHOICE OF FIXING MATERIAL AND PROCEDURES.

CRL AT710
ALUMINUM TRELLIS
(T-BRACKET MOUNT)


1



A CRH COMPANY
2503 E. Vernon Avenue, Los Angeles, CA 90058-1897
PH (800)-421-6144 FX: 800-587-7501 www.crlaurence.com

CRL AT710
ALUMINUM TRELLIS
(T-BRACKET MOUNT)

2



AT710 ALUMINUM TRELLIS WITH 6" AIRFOIL BLADE	
LENGTH A (I.D.)	
LENGTH B (I.D.)	
BLADE SPACING	
FINISH/ COLOR	
QTY:	

ALL CUSTOMERS WHO IN ANY WAY UTILIZE THIS PRODUCT ARE SOLELY RESPONSIBLE TO CONSULT A STRUCTURAL ENGINEER TO DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND SITE CONDITIONS. ALL INSTALLERS MUST BE QUALIFIED AND HAVE PROFESSIONAL KNOWLEDGE ABOUT COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS, SAFETY FACTORS, AND THE APPROPRIATE CHOICE OF FIXING MATERIAL AND PROCEDURES.

