

criaurence.com

Printing date 09/24/2015

Reviewed on 09/24/2015

1 Identification

· Product identifier

· Catalog number: UV602L1K, UV602L85

[•] Trade name: VBB

Article number: VBB Relevant identified uses of the substance or mixture and uses advised against: No further relevant information available. Application of the substance / the mixture: Adhesives

Details of the supplier of the safety data sheet Manufacturer/Supplier:

C. R. Laurence Co., Inc. 2503 E. Vernon Ave. Los Angeles, CA 90058-1826 Phone: +1-800-421-6144

· Emergency telephone number:

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CONTACT CHEMTREC (800) 424-9300. FOR EMERGENCY CALLS ORIGINATING OUTSIDE THE UNITED STATES CALL (202) 483-7616.

2 Hazard(s) identification

Classification of the substance or mixture



Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

Flam. Liq. 4 H227 Combustible liquid.

• Label elements • GHS label elements: The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms: GHS07	
· Signal word: Warning	
· Hazard-determining components of labeling:	
Isobornylacrylat	
· Hazard statements:	
Combustible liquid.	
Causes skin irritation.	
Causes serious eye irritation.	
May cause respiratory irritation.	
· Precautionary statements:	
Keep away from flames and hot surfaces. – No smoking.	
Avoid breathing mist/vapours/spray.	
<i>Wear protective gloves / eye protection / face protection.</i>	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas	y to do.
Continue rinsing.	
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
Call a poison center/doctor if you feel unwell.	
If skin irritation occurs: Get medical advice/attention.	



- If eye irritation persists: Get medical advice/attention.
- In case of fire: Use for extinction: CO_2 , powder or water spray.
- If on skin: Wash with plenty of water.
- Take off contaminated clothing and wash it before reuse.
- Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.
- Store in a well-ventilated place. Keep cool.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Adhesive

· Dangerous	s components:	
5888-33-5	Isobornylacrylat	50-100%
	𝚯 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
2399-48-6	Acrylat Ester	25-50%
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
2530-85-0	3-trimethoxysilylpropyl methacrylate	1-5%
	Flam. Liq. 4, H227	
• Additional	information: For the wording of the listed risk phrases refer to section 16.	

Additional information: For the wording of the listed risk phrases refer to section 10.

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eve for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

US



• Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture:
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures. Ensure adequate ventilation Wear protective clothing.*
- Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **Reference to other sections:** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling:
- Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 10
- · Specific end use(s): No further relevant information available.
- 8 Exposure controls/personal protection
- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

monitored at the workplace.

• Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be



Trade name: VBB

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

• **Protection of hands:** Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/

the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles.

· Information on basic physical and · General Information	chemical properties	
· Appearance:		
Form:	Fluid	
Color:	Transparent	
· Odor:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	190°C	
· Flash point:	92°C	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	



Trade name: VBB

· Density at 20°C:	$1.1 \ g/cm^3$	
· Relative density	Not determined.	
· Vapour density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	0.0 %	
VOC content:	0.0 %	
Solids content:	90.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: Carbon monoxide and carbon dioxide.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

5888-33-5 Isobornylacrylat

Oral	LD50	4350 mg/kg (rat) (see ECHA data)
D	1050 *	> 2000 /

Dermal LD50 * > 3000 mg/kg (rabbit) (see ECHA data)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

• *Persistence and degradability No further relevant information available.*

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.



Trade name: VBB

- · *Mobility in soil* No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- Also poisonous for fish and plankton in water bodies.
- Toxic for aquatic organisms
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Waste disposal key:
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
· DOT	Void
· ADR, IMDG, IATA	UN3082
· UN proper shipping name	
DOT	Void
· ADR	3082 Environmentally hazardous substances, liquid, n.o.s (Isobornylacrylat)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIE N.O.S. (Isobornylacrylat), MARINE POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIE N.O.S. (Isobornylacrylat)
· Transport hazard class(es)	
·DOT	
· Class	Void
ADR, IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles
· Label	9
· Packing group	
· DOT	Void
· ADR, IMDG, IATA	III

Page 6 of 8

US



Trade	name:	VBB
-------	-------	-----

Environmental hazards:	Product contains environmentally hazardous substances	
	Isobornylacrylat	
Marine pollutant:	Yes	
Special marking (ADB).	Symbol (fish and tree) Symbol (fish and tree)	
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)	
Special precautions for user	Warning: Miscellaneous dangerous substances and articles	
Danger code (Kemler):	90 E (S E	
EMS Number:	F-A,S-F	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
ADR	For the UN numbers 3077 and 3082 the special provision 375 i	
	valid. All packages ≤ 5 kg or ≤ 5 L are not subject of this	
	regulation and are not labeled as a hazardous good.	
Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
Remarks:	No hazardous material as defined by the prescriptions.	
IMDG		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
Remarks:	No hazardous material as defined by the prescriptions.	
IATA	For the UN numbers 3077 and 3082 the special provision A19	
	is valid. All packages ≤ 5 kg or ≤ 5 L are not subject of thi	
	regulation and are not labeled as a hazardous good.	
Remarks:	No hazardous material as defined by the prescriptions.	
UN "Model Regulation":	UN3082, Environmentally hazardous substances, liquid, n.o.s	
	(Isobornylacrylat), 9, III	

15 Regulatory information

*

- Safety, health and environmental regulations/legislation specific for the substance or mixture • GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms GHS07
- · Signal word Warning

· Hazard-determining components of labeling:

- Isobornylacrylat
- · Hazard statements
- Combustible liquid.
- *Causes skin irritation.*
- *Causes serious eye irritation. May cause respiratory irritation.*

• Precautionary statements

Keep away from flames and hot surfaces. – No smoking. Avoid breathing mist/vapours/spray. Wear protective gloves / eye protection / face protection. Wash thoroughly after handling.

US



Use only outdoors or in a well-ventilated area.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

*In case of fire: Use for extinction: CO*₂, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Frau Dr. Jutta Lörzer
- · Date of preparation / last revision 09/24/2015 / 31

• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 4: Flammable liquids, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • * Data compared to the previous version altered. US