CRL Online

MATERIAL SAFETY DATA SHEET

Company Name:
Address:
City / State / Zip:
C. R. LAURENCE CO., INC.
2503 E. VERNON AVE.
LOS ANGELES / CA / 90058

 US-CHEMTREC Phone(I):
 (800)424-9300

 US-CHEMTREC Phone(II):
 (703)527-3887

 CAN-CANUTEC Phone:
 (613)996-6666

 Vendor Update:
 6/30/2004

 Date Prepared:
 7/19/2004

 MSDS Number:
 10; 12;

I. CHEMICAL PRODUCT IDENTIFICATION

Product Name: KNIT CUFF GLASS HANDLING GLOVE

HMIS Ratings:

Health: Slight(1)

Flammability: Minimal(0)

Instability/Reactivity: Minimal(0)

NFPA Ratings:

Health: Minimal(0) Flammability: Minimal(0) Instability/Reactivity: Minimal(0)

II. COMPOSITION, INFORMATION ON INGREDIENTS Chemical C.A.S. % By ACGIH TLV OSHA PEL Other LD50 LC50 Ingredient Number Weight TWA/STEL TWA/STEL TWA/STEL NO TOXIC CHEMICALS Notes Other: *NO TOXIC CHEMICAL(S) SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III AND OF 40 CFR 372 ARE PRESENT.

III. HAZARDS IDENTIFICATION PRIMARY ROUTE OF ENTRY

Eyes: LIQUID MAY CAUSE EYE IRRITATION.

Skin: PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION.

Inhalation: PROLONGED INHALATION MAY CAUSE LUNG IRRITATION.

Signs and Symptoms of

Exposure:

Medical Conditions SKIN OR EYE DISORDERS, LUNG DISORDERS POSSIBLE.

Aggravated by Exposure:

Other: CARCINOGENICITY: NTP? NO, IARC MONOGRAPHS? NO, OSHA REGULATED?

NO.

IV. FIRST AID MEASURES

Eyes: FLUSH WITH WATER.

Skin: WASH WITH SOAP AND WATER.

Ingestion: SEEK MEDICAL ATTENTION.

Inhalation: REMOVE TO FRESH AIR.

Other: NORMAL CLEANLINESS SHOULD BE OBSERVED.

V. FIRE FIGHTING MEASURES

N/A

CRL Online

Flash Point:

Test Method: N/A

Lower Flammability Limit: N/A

Upper Flammability Limit: N/A

Extinguishing Agents: FOAM, CO2, DRY CHEMICAL, WATER FOG.

Unusual Fire or Explosion NONE

Hazards:

Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

VI. ACCIDENTAL RELEASE MEASURES

Containment/Cleanup: DAM UP TO LIMIT SPREADING. MOP UP OR ABSORB WITH INERT MATERIAL. IF

SMALL SPILL ALLOW TO DRY AND PEEL FROM FLOOR.

VII. HANDLING AND STORAGE

Other: DO NOT FREEZE, KEEP CONTAINER COVERED, AVOID EYE CONTACT, AVOID

PROLOGNED OR REPEATED SKIN CONTACT. DO NOT DUMP IN SEWER.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: GOGGLES IS SPLASHES OCCUR.

Skin: PROTECTIVE GLOVES: IMPERMEABLE.

Respiratory: NORMALLY NOTHING. NIOSH APPROVED RESPIRATOR IF VAPOR

CONCENTRATIONS ARE ABOVE TLV.

Engineering: VENTILATION: TO KEEP VAPOR CONCENTRATION BELOW TLV.

IX. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: LATEX – CREAMY

Boiling Point:212°FSolubility in Water:MISCIBLESpecific Gravity:(H20=1): 0.9

Vapor Density: N/A

Volatile Content: COATING V.O.C.: 0.03 LB/GL (3 G/L).

MATERIAL V.O.C.: 0.03 LB/GL (3 G/L).

X. STABILITY AND REACTIVITY

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR

Hazardous Decomposition CARBON MONOXIDE, CARBON DIOXIDE, OTHERS POSSIBLE.

Products:

Incompatible Products: WATER SENSITIVE MATERIALS SUCH AS SULFURIC ACID.

CRL Online

Conditions To Avoid: DO NOT FREEZE COMPOUND WILL COAGULATE.

XI. TOXICOLOGICAL INFORMATION

XII. ECOLOGICAL INFORMATION

Ecotoxicity:

XIII. DISPOSAL CONSIDERATIONS

Disposal Method: INCINERATE OR LANDFILL IN ACCORDANCE WITH FEDERAL, STATE AND

LOCAL LAWS AND REGULATIONS.

XIV. TRANSPORT INFORMATION

XV. REGULATORY INFORMATION

Supplemental State

Compliance Information:

XVI. OTHER INFORMATION

WARRANTY INFORMATION

THIS INFORMATION IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE WHETHER

THEY ARE APPROPRIATE.