	4 1/4" [108mm] 3 1/4" [83mm] 3 1/4" [76mm]	6" [152.5mm] 1 15/16" [50.0mm] [50.0mm] [50.0mm] [50.0mm] [50.0mm] [50.0mm] [23.0mm] [
H8015 OIL DYNA ALL-GLASS DOO CATALOG NUMBER	AMIC HYDRAULIC	6" 2 7/8" 2
H8015CH	CHROME	
H8015SA	SATIN ANODIZED	
H8015SN	SATIN NICKEL	
H8015BTCH	BRITE CHROME	ALWAYS USE DIMENSIONS SHOWN ON THE PLAN. DO NOT SCALE OR DIMENSION ACTUAL DRAWING
H8015BTSA	BRITE SATIN ANODIZEI	DO NOT SCALE OR DIMENSION ACTUAL DRAWING TO ENSURE ACCURACY
H8015BTSN	BRITE SATIN NICKEL	SPECIFICATIONS:
H8015JCBS	BRUSHED STAINLESS	SPECIFICATIONS. GLASS THICKNESS: MODELS FOR 3/8" TO 1/2" (10 to 12 mm) GLASS.
H8015JCPS	POLISHED STAINLESS	MATERIAL: ALUMINUM (FINISHED AS SPECIFIED)
		SCRIPTION: 015 OIL DYNAMIC HYDRAULIC ALL-GLASS DOOR 180 GLASS TO GLASS HINGE CAT. NO: FILE NAME: H8015 DATE: 01/26/10 01/26/10   FOR 3/8" TO 1/2" (10 to 12 mm) THICK GLASS DRAWN BY: J.V. J.V. CHECKED BY: R.E.D. SHT 1 OF 1



