# PALISADES S100 SLIDING DOOR



Quote/Order Re	equest Form		Date
Name		Company	
Phone Number		Job Name	
MODEL / RATING	GLAZING	STANDARD	FINISHES
☐ Light Interlock	☐ By Others	HARDWARE FINISH	Available color/finish options:
(Interior Use) ☐ Heavy Interlock (CW40 Rating) Exterior Use	By C.R. Laurence Co., Inc. Specify (Color/Type)	<ul><li>☐ Brushed Stainless Steel</li><li>☐ White Painted</li><li>☐ Black Painted</li></ul>	<ul><li>☐ WH - White Powder Paint</li><li>Traffic White RAL9016</li><li>☐ BL - Glossy Black Powder Paint Jet</li><li>Black RAL9005</li></ul>
LEAD STILE	SILL TYPE	AUTOMATION (BY OTHERS)	☐ MBL - Matte Black Lava PU19115 ☐ DU - Black Bronze Anodized - Class 1
☐ Single Handle Lead Stile ☐ Double Handle Lead Stile (BTB) DOUBLE LEAD STILE	☐ Raised Track ☐ Flush Track**  **Trench Drain (by others) recommended for	☐ Yes (NOTEAP100S) ☐ No  LOCKING	SA - Satin Anodized - Class 1 PT - Custom Powder Paint NOTE: Kynar not available for P100S Model
IS STANDARD	Exterior Application	☐ 2 Point Surface Catch ☐ 2 Point Recessed Catch	
B X O □	Double B C	X Double Track	B X X Double Track
B X O ⇒	X Double Track  Triple Track	В <b>О</b> X	X O Double Track
B O	X O Double Track Slide Le	eft	X O Double Track Slide Right
RESET BUTTON	Please submit to: entr	ance.partitions@crlaurer	nce.com


C.R. Laurence Co., Inc. • 2503 E. Vernon Ave., Los Angeles, CA 90058 • 1.800.421.6144 • crlaurence.com

## PALISADES S100 SLIDING DOOR



## **Quote/Order Request Form**





**NOTE:** System views are from interior looking out

MARK	QTY	DIM A (WIDTH)	DIM B (HEIGHT)

Taken by:
Priced by:Edited by:

Approved by \_\_\_\_\_

**RESET BUTTON** 

Please submit to: entrance.partitions@crlaurence.com

### PALISADES S100 SLIDING DOOR





## **Quote/Order Request Form**

#### **Section Details**

Net Frame Width


### LEAD STILE OPTIONS






#### **INTERLOCK OPTIONS**

Date \_



Net Frame Height



**RESET BUTTON** 

Please submit to: entrance.partitions@crlaurence.com