

A D.O.H. + 1/2"

© (Bx 2) - 3"

B D.O.W. + 1 7/8"

D (F/2) - 4 9/16"

(E) (D.O.W. / 2) - 1"

D.O.W. = DOOR OPENING WIDTH

(F) D.O.W. - 1/4"

DOOR SYSTEM LIMITATIONS MAXIMUM DOOR WEIGHT: 220 lbs. (100 kg) MAXIMUM PANEL WIDTH: 53 1/2" (1.36m) MAXIMUM PANEL HEIGHT: 98 7/16" (2.50m) MAXIMUM TRACK LENGTH: 104" (2.64m)

* ANTI-LIFT FEATURE FOR ADDED SAFETY

Revisions By:

* ALL 316 ALLOY BRUSHED STAINLESS STEEL CONSTRUCTION


* IDEAL FOR INTERIOR APPLICATIONS

* FOR USE WITH 3/8" OR 1/2" (10mm OR 12mm) GLASS


* COMES WITH ALL FASTENERS NEEDED FOR EITHER FLUSH (COUNTERSUNK) OR SURFACE (STRAIGHT HOLE)

* ADAPTOR KITS AVAILABLE FOR WOOD DOOR APPLICATIONS

CRL LSGM5BS LAGUNA SERIES GLASS MOUNT SINGLE SLIDER





1 LAGUNA SERIES DOOR (CLOSED)




Drawn By: AAD Date: 3/3/16 Scale: AS NOTED


3-CRL LSGM5BS LAGUNA SERIES GLASS MOUNT SINGLE SLIDER.dwg





1 WALL MOUNT END CAP DETAIL





3 BOTTOM BUMPER DETAIL

Revisions By: OFFICE SYSTEM CRL LAGUNA Drawn By: AAD Date: 3/3/16 Scale: AS NOTED

File Name: 3-CRL LSGM5BS LAGUNA SERIES GLASS MOUNT SINGLE SLIDER.dwg

3.3