

Revision Date: 08/11/2023

#### SCS1200 TRANSP

# SAFETY DATA SHEET

Classified in accordance with 29 CFR 1910.1200

## 1. Identification

Product identifier: SCS1200 TRANSP

Other means of identification

Synonyms: Acetoxy Sealant

Recommended use and restriction on use Recommended use: Silicone Elastomer

Restrictions on use: Not known.

Manufacturer/Importer/Distributor :

Information

Momentive Amer Seal. 260 Hudson River Road Waterford NY 12188

Contact person : commercial.services@momentive.com

**Telephone** : General information

+1-800-295-2392

**Emergency telephone number** 

Supplier : CHEMTREC

1-800-424-9300

# 2. Hazard(s) identification

#### **Hazard Classification**

#### **Health Hazards**

Skin Corrosion/Irritation Category 2
Toxic to reproduction Category 2

# **Label Elements**

#### **Hazard Symbol:**



Signal Word: Warning

**Hazard Statement:** H315; Causes skin irritation.

H361f; Suspected of damaging fertility.

SDS\_US 1/15



Revision Date: 08/11/2023

#### SCS1200 TRANSP

Precautionary Statements

**Prevention:** Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment

as required.

**Response:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs:

Get medical advice/attention. Take off contaminated clothing. Specific treatment (see supplemental first aid instructions on this label). IF exposed

or concerned: Get medical advice/attention.

Storage: Store locked up.

**Disposal:** Dispose of contents/ container to an approved facility in accordance with

local, regional, national and international regulations.

Hazard(s) not otherwise classified (HNOC):

None.

#### 3. Composition/information on ingredients

## **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*	Notes
Silica, amorphous, fumed, crystalline free	112945-52-5	5 - <10%	# This substance has workplace exposure limit(s).
Octamethylcyclotetrasiloxane	556-67-2	0.1 - <1%	No data available.

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

**General information:** No action shall be taken involving any personal risk or without suitable

training.

**Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water.

**Inhalation:** If inhaled, remove to fresh air. If not breathing give artificial respiration

using a barrier device. If breathing is difficult give oxygen. Get medical

attention.

**Skin Contact:** To clean from skin, remove completely with a dry cloth or paper towel,

before washing with detergent and water. If skin irritation occurs: Get

medical advice/attention.

SDS\_US 2/15



Revision Date: 08/11/2023

#### **SCS1200 TRANSP**

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Treatment is symptomatic and supportive.

5. Fire-fighting measures

**General Fire Hazards:** Use standard firefighting procedures and consider the hazards of other

involved materials. Prevent runoff from fire control or dilution from entering

streams, sewers, or drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

In case of fire, carbon monoxide and carbon dioxide may be formed. Use

water spray to keep fire-exposed containers cool.

Special protective equipment and precautions for fire-fighters

Special fire-fighting

procedures:

Take precautionary measures against static discharges. Keep away from

sources of ignition - No smoking.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Avoid contact with skin and eyes. Use only in well-ventilated areas. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Product releases acetic acid during application and curing. Keep out of reach of children. See

Section 8 of the SDS for Personal Protective Equipment.

SDS US 3/15



Revision Date: 08/11/2023

#### SCS1200 TRANSP

Methods and material for containment and cleaning

up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the

protective equipment section.

Notification Procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area). See Section 8 of the SDS for Personal Protective

Equipment.

**Environmental Precautions:** Do not allow runoff to sewer, waterway or ground.

# 7. Handling and storage

**Precautions for safe handling:** 

Sensitivity to static discharge is not expected. Acetic acid is formed during processing. Wear appropriate personal protective equipment. Use only in well-ventilated areas. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Keep containers tightly closed. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities:

Keep away from heat, sparks and open flame. Keep container tightly closed in a cool, well-ventilated place.

## 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values	Source
Silica, amorphous, fumed, crystalline free	REL	6 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	TWA	0.8 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (2000)
	IDLH	3,000 mg/m3	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended (10 2017)
Silica, amorphous, fumed, crystalline free - Particulate.	ST ESL	27 μg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (06 2018)
	AN ESL	2 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended (06 2018)
Silica, amorphous, fumed, crystalline free - Inhalable particles.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
Silica, amorphous, fumed, crystalline free - Respirable particles.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values, as amended (01 2021)
Silica, amorphous, fumed, crystalline free - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Silica, amorphous, fumed, crystalline free - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	5 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (01 2019)

SDS\_US 4/15



Revision Date: 08/11/2023

#### SCS1200 TRANSP

Silica, amorphous, fumed, crystalline free - Total dust.	TWA	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended (01 2019)
	TWA PEL	10 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (12 2017)
Silica, amorphous, fumed, crystalline free - Respirable fraction.	TWA PEL	5 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended (12 2017)
Silica, amorphous, fumed, crystalline free - Total dust.	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Silica, amorphous, fumed, crystalline free - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)
Silica, amorphous, fumed, crystalline free - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000), as amended (09 2016)

Appropriate Engineering

Eye wash facilities and emergency shower must be available when

Controls handling this product.

Individual protection measures, such as personal protective equipment

General information: No data available.

Eye/face protection: Safety glasses with side shields

**Skin Protection** 

**Hand Protection:** Use chemical-resistant, impervious gloves.

Wear suitable protective clothing and eye/face protection. Other:

**Respiratory Protection:** If inhalation exposure is expected, NIOSH/MSHA approved respiratory

protection should be worn. Supplied air respirators may be required for nonroutine or emergency situations. Respiratory protection must be provided in

accordance with OSHA regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation,

> especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

## 9. Physical and chemical properties

#### **Appearance**

Physical state: solid Form: Paste

Color: No data available.

Odor: Acetic acid.

No data available. Odor threshold: No data available. Melting point/freezing point: No data available.

5/15 SDS\_US



Revision Date: 08/11/2023

#### **SCS1200 TRANSP**

Initial boiling point and boiling range:No data available.Flash Point:> 93 °C (estimated)Evaporation rate:No data available.Flammability (solid, gas):No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available. No data available. Flammability limit - lower (%): **Explosive limit - upper:** No data available. **Explosive limit - lower:** No data available. Heat of combustion: No data available. Vapor pressure: No data available. Vapor density: No data available. No data available. Density: Relative density: No data available.

Solubility(ies)

Solubility in water: No data available.

Solubility (other): Insoluble

Partition coefficient (n-octanol/water) Log

Pow:

No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.SADT:No data available.Viscosity, dynamic:No data available.Viscosity, kinematic:No data available.

**VOC:** 36 g/l;

## 10. Stability and reactivity

**Reactivity:** No dangerous reaction if used as recommended.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

Under normal conditions of storage and use, hazardous polymerization will

not occur.

**Conditions to avoid:** Keep away from moisture.

**Incompatible Materials:** Strong Acids, Strong Bases Water.

**Hazardous Decomposition** 

Products:

Carbon dioxide Acetic acid. Silicon dioxide. Formaldehyde. This product

contains methylpolysiloxanes which can generate formaldehyde at

approximately 300 degrees Fahrenheit (150'C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and has been classified by the National Toxicology Program as a known human carcinogen. An (M)SDS

for formaldehyde is available from Momentive.

SDS\_US 6/15



Revision Date: 08/11/2023

#### SCS1200 TRANSP

# 11. Toxicological information

Information on likely routes of exposure

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

Symptoms related to the physical, chemical and toxicological characteristics

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LD 50 (Rat): > 4,800 mg/kg

ane

Dermal

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LD 50 (Rat): > 2,375 mg/kg

ane

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Octamethylcyclotetrasilox LC50 (Rat): 36 mg/l

ane

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

SDS\_US 7/15



Revision Date: 08/11/2023

#### SCS1200 TRANSP

Product: OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit): Irritating to

skin. The health hazard evaluation is based on the toxicological properties of

a similar material.

Serious Eye Damage/Eye Irritation

**Product:** OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non irritating

The health hazard evaluation is based on the toxicological properties of a

similar material.

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox

ane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox

ane

Chromosomal aberration (OECD 475) Inhalation (Rat, male and female):

negative

Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative

Reproductive toxicity

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

SDS US 8/15



Revision Date: 08/11/2023

#### **SCS1200 TRANSP**

Aspiration Hazard Product:

No data available.

Other effects:

Acetic acid released during curing. Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study.

#### 12. Ecological information

# **Ecotoxicity:**

Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; LC50 (Oncorhynchus mykiss, 96 h): >

ane 0.022 mg/l

SDS\_US 9/15



Revision Date: 08/11/2023

#### **SCS1200 TRANSP**

**Aquatic Invertebrates** 

No data available. Product:

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; EC50 (Daphnia magna, 48 h): > 0.015

ane mg/l

Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; NOEC (Oncorhynchus mykiss, 93 d): >=

0.0044 mg/l

**Aquatic Invertebrates** 

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; NOEC (Daphnia magna, 21 d): > 0.015

mg/l

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox No toxicity at the limit of solubility; ErC50 (Selenastrum capricornutum, 96 ane

h): > 0.022 mg/l

Persistence and Degradability

Biodegradation

ane

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox 3.7 % (29 d, 310 Ready Biodegradability - CO2 in Sealed Vessels

(Headspace Test)) Not readily biodegradable.

**BOD/COD Ratio** 

ane

Product: No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox Bioconcentration Factor (BCF): 12,400

Partition Coefficient n-octanol / water (log Kow) Product: No data available.

SDS\_US 10/15



Revision Date: 08/11/2023

#### SCS1200 TRANSP

**Mobility in soil:** No data available.

Known or predicted distribution to environmental compartments

Silica, amorphous, fumed,

crystalline free

No data available.

Octamethylcyclotetrasiloxa

ne

No data available.

Other adverse effects: No data available.

# 13. Disposal considerations

**General information:** The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

**Disposal instructions:** Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: Dispose of as unused product.

# 14. Transport information

#### DOT

Not Regulated.

#### **IMDG**

Not Regulated.

#### IATA

Not Regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

# 15. Regulatory information

#### **US Federal Regulations**

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

SDS\_US 11/15



Revision Date: 08/11/2023

#### SCS1200 TRANSP

# US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

None present or none present in regulated quantities.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

#### <u>Chemical Identity</u> <u>Reportable quantity</u>

Acetic acid 5,000 lbs.

None present or none present in regulated quantities.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Skin Corrosion or Irritation Reproductive toxicity

#### **SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

#### SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

#### SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

# US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting

None present or none present in regulated quantities.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

## **US State Regulations**

#### **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

#### US. New Jersey Worker and Community Right-to-Know Act

# **Chemical Identity**

Siloxanes and Silicones, di-Me hydroxy terminated

Silica, amorphous, fumed, crystalline free

Polydimethylsiloxane

Methyltriacetoxysilane

**METHYLDIACETOXYISOPROPOXYSILANE** 

SDS\_US 12/15



Revision Date: 08/11/2023

# SCS1200 TRANSP

# **US. Massachusetts RTK - Substance List**

# **Chemical Identity**

Silica, amorphous, fumed, crystalline free

# **US. Pennsylvania RTK - Hazardous Substances**

# **Chemical Identity**

Silica, amorphous, fumed, crystalline free

## **US. Rhode Island RTK**

# **Chemical Identity**

Silica, amorphous, fumed, crystalline free

SDS\_US 13/15



Revision Date: 08/11/2023

# SCS1200 TRANSP

**Inventory Status:** 

iveritory Status.		
Australia Industrial Chem. Act (AIIC):	On or in compliance with the inventory	Remarks: None.
Canada DSL Inventory List:	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: Commercial Status: Active
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

# 16.Other information, including date of preparation or last revision

# **HMIS Hazard ID**

Health	*	2	
Flammability		1	
Physical Hazards		1	
PERSONAL PROTECTION	ON		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 08/11/2023

**Revision Date:** No data available.

SDS\_US 14/15



Revision Date: 08/11/2023

#### SCS1200 TRANSP

Version #: 2.1

Further Information: No data available.

Disclaimer:

#### Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives.

Keep out of the reach of children.

#### **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS\_US 15/15