


ALWAYS USE DIMENSIONS TO ENSURE ACCURACY



Specifications:


Material: Solid brass

Glass Thickness Range: 3/8" (10 mm) to

1/2" (12mm) thick glass

Hole Size Required: 3/4" (19mm) diameter **Includes:** Mounting Screws and Gaskets **Templates Shown on Next Page**

GLASS CLAMP SQUARE "T" JUNCTION CAT. No. SGC90T



Specifications:

Material: Solid brass

Glass Thickness Range: 3/8" (10 mm) to


1/2" (12mm) thick glass


Hole Size Required: 3/4" (19mm) diameter **Includes:** Mounting Screws and Gaskets **Templates Shown on Next Page**

GLASS CLAMP BEVELED "T" JUNCTION CAT. No. BGC90T

4Y-61









C.R. Laurence Co., Inc. crlaurence.com For technical assistance in the United States call toll free (800) 421-6144; from Canada call toll free (877) 421-6144; outside the U.S. and Canada call (323) 588-1281. Ask for Tech Sales at Extension 7740. Toll free fax (800) 458-7496.

4Y-62







C.R. Laurence Company has established a Technical Sales Department to assist our customers. If you have any questions concerning shower door hardware or any product from CRL, please contact us at:

(800) 421-6144 in the U.S.,
or (877) 421-6144 from Canada,
and ask for Extension 7740