### **CRL Online**

# **MATERIAL SAFETY DATA SHEET**

Company Name:
Address:
C. R. LAURENCE CO., INC.
2503 E. VERNON AVE.
City / State / Zip:
LOS ANGELES / CA / 90058

 US-CHEMTREC Phone(I):
 (800)424–9300

 US-CHEMTREC Phone(II):
 (703)527–3887

 CAN-CANUTEC Phone:
 (613)996–6666

 Vendor Update:
 7/21/2009

 Date Prepared:
 7/21/2009

**MSDS Number:** SS1266; SS1466; SS31666; SS3466; SS3466BL; SS3866; SS51666; SS5866BL; SS71666;

SS91666; SS91666BL;

### I. CHEMICAL PRODUCT IDENTIFICATION

Product Name: SUPER SPACER

HMIS Ratings: NFPA Ratings:

II. COMPOSITION, INFORMATION ON INGREDIENTS							
Chemical Ingredients	C.A.S. Number	% By Weight	ACGIH TLV TWA/STEL	OSHA PEL TWA/STEL	Other TWA/STEL	LD50	LC50
SILICONE RUBBER							
Notes							
Other:	NOT A HAZARDOUS INGREDIENT IN ACCORDANCE WITH OSHA 29 CFR 1910.1200.						

### **III. HAZARDS IDENTIFICATION PRIMARY ROUTE OF ENTRY**

Inhalation: HEAT CURING MAY CAUSE TEMPORARY DISCOMFORT TO

THE EYES.

Medical Conditions Aggravated by Exposure:

IV. FIRST AID MEASURES

**Eyes:** HEAT CURE FUMES: FLUSH WITH WATER FOR AT LEAST 15

**MINUTES** 

**Skin:** WIPE OFF AND FLUSH WITH WATER

Ingestion: NO PROBLEM UNDER NORMAL CONDITIONS

Inhalation: NO PROBLEM

V. FIRE FIGHTING MEASURES

Flash Point: NON FLAMMABLE [>500°F (>260°C)

**Test Method:** OPEN CUP METHOD

Lower Flammability Limit: N/A

Upper Flammability Limit: N/A

Extinguishing Agents: WATER, FOG, CO<sup>2</sup>, DRY CHEMICAL, FOAM

Unusual Fire or Explosion Hazards: NONE KNOWN

**CRL Online** 

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND PROTECTIVE

**CLOTHING** 

**VI. ACCIDENTAL RELEASE MEASURES** 

Containment/Cleanup: COLLECT AND CONTAIN FOR DISPOSAL

**VII. HANDLING AND STORAGE** 

Other: STORE IN A DRY LOCATION AT AMBIENT TEMPERATURE

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: SAFETY GLASSES

Respiratory: N/A

Engineering: GENERAL MECHANICAL RECOMMENDED

Other: OTHER PROTECTIVE EQUIPMENT: NONE SPECIFIED

IX. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: RUBBER ROLLED STRIP

**Boiling Point:** N/A **Specific Gravity:** 0.86

Vapor Pressure:<5 MM HG/70°FVapor Density:N/A (AIR = 1)

**Volatile Content:** % VOLATILES BY VOLUME: <5%

**Other:** EVAPORATION RATE AND REF: <1 (ETHER)

X. STABILITY AND REACTIVITY

Stability: YES

Hazardous Polymerization: WILL NOT OCCUR

Hazardous Decomposition Products: N-NITROSAMINES, NOx, SIO<sup>2</sup>, CO<sup>2</sup>, INCOMPLETELY

BURNED PRODUCTS.

Incompatible Products: OXIDIZING MATERIALS

Conditions To Avoid: NOT APPLICABLE

XI. TOXICOLOGICAL INFORMATION

XII. ECOLOGICAL INFORMATION

Ecotoxicity:

XIII. DISPOSAL CONSIDERATIONS

**Disposal Method:**NO SPECIAL PROCEDURES

### **CRL Online**

# **XIV. TRANSPORT INFORMATION**

# XV. REGULATORY INFORMATION

Supplemental State Compliance Information:

### **XVI. OTHER INFORMATION**

#### WARRANTY INFORMATION

THIS INFORMATION IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE WHETHER

THEY ARE APPROPRIATE.