

Issue Date 2015-02-02

Revision Date 2015-02-02

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name Crack Filler - UV Curing Adhesive

### Other means of identification

Catalog Numbers: SVD100, CCH1, CCH12, CP1, PFCH12

Synonyms Not applicable

### Recommended use of the chemical and restrictions on use

Identified uses Windshield Glass Repair

Uses advised against No information available

### Details of the supplier of the safety data sheet

Supplier Address C.R. Laurence Co., Inc.  
2503 E. Vernon Ave.  
Los Angeles, CA 90058-1826  
Telephone: (323) 588-1281

Emergency Telephone CHEMTREC: (800) 424-9300 (24 hours)

## 2. HAZARDS IDENTIFICATION

### Emergency Overview

Appearance Transparent

Odor Characteristic

Physical state Liquid

### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

### Target Organ Effects

Respiratory system, EYES, Skin.

### GHS Label elements, including precautionary statements



Signal word

Danger

Issue Date 2015-02-02

Revision Date 2015-02-02

Version 1

**Hazard statements**

H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H335 - May cause respiratory irritation

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing should not be allowed out of the workplace  
Use only outdoors or in a well-ventilated area

**Precautionary Statements - Response**

IF exposed or concerned, get medical advice/attention.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF ON SKIN: Wash with plenty of soap and water, Take off contaminated clothing and wash before reuse, If skin irritation or rash occurs: Get medical advice/attention.  
IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF SWALLOWED Get medical advice/attention if you feel unwell  
Collect spillage.

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

**Hazards not otherwise classified (HNOC)**

None

**Other Information**

None

**Unknown acute toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity

Issue Date 2015-02-02

Revision Date 2015-02-02

Version 1

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

The ingredients listed in this section have been determined to be hazardous and above threshold limits.

Hazardous

Chemical Name	CAS No	Weight-%	Trade Secret	Classification (Reg. 1272/2008)
Benzyl Methacrylate	2495-37-6	10 - 30	*	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)
2-Hydroxyethyl methacrylate	868-77-9	10 - 30	*	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317)
Isobornyl Acrylate	5888-33-5	10 - 30	*	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Chronic 2 (H411)
octyl acrylate	2499-59-4	5 - 10	*	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)
decyl acrylate	2156-96-9	5 - 10	*	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Chronic 2 (H411)
Acrylic acid	79-10-7	1 - 5	*	Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Aquatic Acute 1 (H400)

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

##### General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

##### Eye contact

Flush eyes with water at least 15 minutes, get medical attention if eye irritation develops or persists.

##### Skin Contact

Wash off immediately with plenty of water, Get medical attention if irritation develops and persists.

##### Inhalation

Move to fresh air, If symptoms persist, call a physician.

##### Ingestion

If swallowed, rinse mouth. Get medical attention.

##### Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Issue Date 2015-02-02

Revision Date 2015-02-02

Version 1

### Most important symptoms and effects, both acute and delayed

#### **Main Symptoms**

No information available.

### Indication of any immediate medical attention and special treatment needed

#### **Note to physicians**

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use CO<sub>2</sub>, dry chemical, or foam.

#### Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

#### Hazardous combustion products

Hazardous decomposition products due to incomplete combustion.

#### Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

Ensure adequate ventilation. Wear protective gloves/clothing and eye/face protection.

#### Environmental precautions

#### **Environmental precautions**

Do not allow material to contaminate ground water system, Try to prevent the material from entering drains or water courses, See Section 12 for additional Ecological Information. Local authorities should be advised if significant spillages cannot be contained.

### Methods and material for containment and cleaning up

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

#### **Methods for cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

## **7. HANDLING AND STORAGE**

### Precautions for safe handling

#### **Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Protect from light.



Issue Date 2015-02-02

Revision Date 2015-02-02

Version 1

### Conditions for safe storage, including any incompatibilities

#### Technical measures/Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Protect from light.

#### Incompatible products

Amines, Strong oxidizing agents, Strong acids, Strong bases, Oxygen scavengers, Thiosulfates.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acrylic acid	TWA: 2 ppm S*	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m <sup>3</sup> S*	TWA: 2 ppm TWA: 6 mg/m <sup>3</sup>

### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

TLV - Threshold Limit Value

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL - Permissible Exposure Limits

NIOSH IDLH

Immediately Dangerous to Life or Health

### Appropriate engineering controls

#### Engineering Measures

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety glasses with side-shields. If splashes are likely to occur, wear goggles.

#### Skin and body protection

Wear suitable protective clothing.

#### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

### Hygiene measures

When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice. Wear suitable gloves and eye/face protection. Wash hands before breaks and at the end of workday. Avoid breathing vapors, mist or gas. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state	Liquid	Odor	Characteristic
Appearance	Transparent	Odor threshold	No information available
Color	Colorless		
<u>Property</u>	<u>Values</u>	<u>Remarks / • Method</u>	
pH		No information available	
Melting point/freezing point		No information available	
Boiling point / boiling range		No information available	
Flash point	101°C / 214°F		

**Issue Date** 2015-02-02

**Revision Date** 2015-02-02

**Version** 1

Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit	no data available
Lower flammability limit	no data available
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity	No information available
Water Solubility VALUE	No information available
Solubility in other solvents	No information available
Partition coefficient: n-octanol/water	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	
Explosive properties	No information available
Oxidizing properties	No information available

#### Other Information

Softening point	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

### **10. STABILITY AND REACTIVITY**

#### Reactivity

No information available

#### Chemical stability

Stable under normal conditions.

#### Possibility of Hazardous Reactions

##### **Hazardous polymerization**

None under normal processing.

#### Conditions to avoid

Protect from light. Heat, flames and sparks.

#### Incompatible materials

Amines, Strong oxidizing agents, Strong acids, Strong bases, Oxygen scavengers.

#### Hazardous Decomposition Products

No decomposition if stored and applied as directed.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### Product Information

No acute toxicity information is available for this product

Inhalation	There is no data available for this product
Eye contact	There is no data available for this product
Skin Contact	There is no data available for this product
Ingestion	There is no data available for this product

Issue Date 2015-02-02

Revision Date 2015-02-02

Version 1

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Hydroxyethyl methacrylate	= 5050 mg/kg ( Rat )	> 3000 mg/kg ( Rabbit )	
Isobornyl Acrylate	= 4890 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	
octyl acrylate	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
decyl acrylate	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	
Acrylic acid	= 33500 µg/kg ( Rat )	= 280 µL/kg ( Rabbit )	= 5300 mg/m³ ( Rat ) 2 h

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause sensitization of susceptible persons.  
**Mutagenic effects** No information available.  
**Reproductive toxicity** No information available.  
**Carcinogenicity** Contains no ingredients above reportable quantities listed as a carcinogen.

#### Legend

**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Target Organ Effects** Respiratory system, EYES, Skin.  
**Chronic toxicity** Repeated contact may cause allergic reactions in very susceptible persons  
Avoid repeated exposure  
**Aspiration hazard** No information available.

### Numerical measures of toxicity - Product Information

**Unknown acute toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 5540 mg/kg  
**ATEmix (dermal)** 5989 mg/kg  
**ATEmix (inhalation-dust/mist)** 18.7 mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

7.56493% of the mixture consists of components(s) of unknown hazards to the aquatic environment

### Acute aquatic toxicity

#### Product Information

Testing for acute and chronic aquatic effects determined no environmental classification is required.

#### Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Benzyl Methacrylate	-	LD50 4.25 - 5.13 mg/L 96 h (Pimephales promelas)	-
2-Hydroxyethyl methacrylate	-	LC50 = 227 mg/L 96 h (Pimephales promelas)	EC50 > 380 mg/l 48 h (Daphnia magna)
Isobornyl Acrylate	ErC 50 = 2.7 mg/L 96 h (Pseudokirchneriella subcapitata)	LC50 = 1.8 mg/L 96 h (Danio rerio)	EC 50 = 1.1 mg/L 48 h (Daphnia magna)

Issue Date 2015-02-02

Revision Date 2015-02-02

Version 1

Acrylic acid	EC50 0.04 mg/L 72 h (Desmodemus subspicatus)	LC50 = 222 mg/L 96 h (Brachydanio rerio)	EC50 = 95 mg/L 48 h
--------------	---	---	---------------------

**Persistence and degradability** No information available.

**Bioaccumulation** No information available.

**Mobility**

Chemical Name	log Pow
2-Hydroxyethyl methacrylate	0.47
Acrylic acid	0.46

**Other adverse effects** None

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

#### Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

#### Contaminated packaging

Dispose of in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

**ICAO/IATA** Not regulated

**IMDG/IMO** Not regulated

**TDG** Not regulated

**MEX** Not regulated

### 15. REGULATORY INFORMATION

#### International Inventories

TSCA	Complies
AICS	Not listed
DSL/NDL	Complies
EINECS/ELINCS	Complies
ENCS	Not listed
IECSC	Complies
KECL	Complies
NZIoC	Not listed
PICCS	Not listed
ECSI	Not listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances



Issue Date 2015-02-02

Revision Date 2015-02-02

Version 1

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List  
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
 ENCS - Japan Existing and New Chemical Substances  
 IECSC - China Inventory of Existing Chemical Substances  
 KECL - Korean Existing and Evaluated Chemical Substances  
 NZIoC - New Zealand Inventory of Chemicals  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 ECSI - Taiwan Existing Substance Inventory

## US Federal Regulations

### OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Acrylic acid - 79-10-7	1.0

### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acrylic acid 79-10-7	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

## US State Regulations

### California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
decyl acrylate	X	X	X
Acrylic acid	X	X	X
Methyl alcohol	X	X	X

## 16. OTHER INFORMATION

Revision Date 2015-02-02

Revision Note No information available

Issue Date 2015-02-02

Revision Date 2015-02-02

Version 1

**Disclaimer**

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of CRL. The information in this SDS relates only to the specific material designated herein. CRL assumes no legal responsibility for the use of or reliance upon the information in this SDS.