

1 Identification

- **Product identifier**
- **Catalog numbers:** 888BLBRZ, 888GRY, 888W

- **Relevant identified uses of the substance or mixture:** Sealant
- **Application of the substance / the mixture:** Sealant

- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
C. R. Laurence Co., Inc.
2503 E. Vernon Ave.
Los Angeles, CA 90058-1826
Telephone: (323) 588-1281
- **Information department:** Environment protection department.
- **Emergency telephone number:**
Chemtrec: 1-800-424-9300 (24 hours).

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements:** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07



GHS08

- **Signal word** Warning:
- **Hazard statements:**
Causes skin irritation.
Causes serious eye irritation.
Suspected of causing cancer.
- **Precautionary statements:**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.

Read label before use.
 Wear protective gloves / eye protection / face protection.
 Wear protective gloves.
 Wear eye protection / face protection.
 Wash thoroughly after handling.
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 Specific treatment (see on this label).
 IF exposed or concerned: Get medical advice/attention.
 If skin irritation occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 If on skin: Wash with plenty of water.
 Take off contaminated clothing and wash it before reuse.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

| | | |
|-------------|--|---------|
| 471-34-1 | calcium carbonate | 25-50% |
| 8052-41-3 | Stoddard solvent (mineral spirits) | 10-25% |
| 546-93-0 | Magnesite | 2.5-10% |
| 1332-58-7 | Kaolin | 2.5-10% |
| 68953-58-2 | organoclay [containing 0-3% quartz CAS 14808-60-7] | 2.5-10% |
| 1305-78-8 | calcium oxide | ≤1.0% |
| 112926-00-8 | Precipitated silica (Silica-Amorphous) | ≤0.5% |
| | Amorphous Fumed Silica | ≤0.5% |
| 1333-86-4 | Carbon black | ≤0.5% |
| 20344-49-4 | iron hydroxide oxide | ≤0.5% |
| 1309-37-1 | diiron trioxide | ≤0.05% |

| | |
|-----------------------|--------|
| 100-41-4 ethylbenzene | ≤0.03% |
|-----------------------|--------|

· **Additional information:**

It is highly unlikely the powders and pigments compounded within this product would pose a hazardous risk from inhalation as they are no longer a respirable particulate. Exposure to these ingredients as used in sealants, putties, bedding compounds and other non-sprayable products is highly unlikely. The concentrations listed in the composition section are percent by weight unless a gas. Gas concentrations are expressed in percent by volume.

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Call a doctor immediately.

Overexposure, remove to fresh air and seek medical attention.

· **After skin contact:**

Wipe excess from skin.

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

· **After swallowing:** *Seek medical treatment.*

· **Most important symptoms and effects, both acute and delayed:** *No further relevant information available.*

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** *CO₂, extinguishing powder or water spray. Fight larger fires with water spray.*

· **Special hazards arising from the substance or mixture:** *No further relevant information available.*

· **Advice for firefighters**

· **Protective equipment:** *Protective clothing and respiratory protective device.*

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures:** *Ensure adequate ventilation.*

· **Environmental precautions:** *Do not allow product to reach sewage system or any water course.*

· **Methods and material for containment and cleaning up:**

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling:** *Open and handle receptacle with care.*

· **Information about protection against explosions and fires:**

Keep container closed when not in use.

Keep respiratory protective device available.

- *Conditions for safe storage, including any incompatibilities*
- *Storage:*
- *Requirements to be met by storerooms and receptacles: No special requirements.*
- *Information about storage in one common storage facility: Keep away from open flames and high temperatures.*
- *Further information about storage conditions: Keep receptacle tightly sealed.*
- *Specific end use(s): No further relevant information available.*

8 Exposure controls/personal protection

- *Additional information about design of technical systems: No further data.*
- *Control parameters*

· *Components with limit values that require monitoring at the workplace:*

471-34-1 calcium carbonate

| | |
|-----|---|
| PEL | Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction |
| REL | Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction |
| TLV | TLV withdrawn |

8052-41-3 Stoddard solvent (mineral spirits)

| | |
|-----|---|
| PEL | Long-term value: 2900 mg/m ³ , 500 ppm |
| REL | Long-term value: 350 ppm Ceiling limit value: 1800* mg/m ³ *15-min |
| TLV | Long-term value: 525 mg/m ³ , 100 ppm |

546-93-0 Magnesite

| | |
|-----|---|
| PEL | Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction |
| REL | Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction |
| TLV | TLV withdrawn |

1332-58-7 Kaolin

| | |
|-----|---|
| PEL | Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction |
| REL | Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction |
| TLV | Long-term value: 2* mg/m ³ E; as respirable fraction |

1305-78-8 calcium oxide

| | |
|-----|--------------------------------------|
| PEL | Long-term value: 5 mg/m ³ |
| REL | Long-term value: 2 mg/m ³ |
| TLV | Long-term value: 2 mg/m ³ |

112926-00-8 Precipitated silica (Silica-Amorphous)

| | |
|-----|---|
| PEL | 20 mppcf or 80 mg/m ³ 1%SiO ₂ |
| REL | Long-term value: 6 mg/m ³ See Pocket Guide App. C |

| | |
|----------------------------------|---|
| TLV | TLV withdrawn |
| 1333-86-4 Carbon black | |
| PEL | Long-term value: 3.5 mg/m ³ |
| REL | Long-term value: 3.5* mg/m ³ *0.1 in presence of PAHs; See Pocket Guide Apps. A+C |
| TLV | Long-term value: 3* mg/m ³ *inhalable fraction |
| 1309-37-1 diiron trioxide | |
| PEL | Long-term value: 10* 15** 5*** mg/m ³ *Fume; Rouge: **Total dust, ***respirable |
| REL | Long-term value: 5 mg/m ³ Dust & fume, as Fe |
| TLV | Long-term value: 5* mg/m ³ *as respirable fraction |
| 100-41-4 ethylbenzene | |
| PEL | Long-term value: 435 mg/m ³ , 100 ppm |
| REL | Short-term value: 545 mg/m ³ , 125 ppm Long-term value: 435 mg/m ³ , 100 ppm |
| TLV | Long-term value: 87 mg/m ³ , 20 ppm BEI |

· Ingredients with biological limit values:

100-41-4 ethylbenzene

| | |
|-----|---|
| BEI | 0.7 g/g creatinine Medium: urine Time: end of shift at end of workweek Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative) |
| - | Medium: end-exhaled air Time: not critical Parameter: Ethyl benzene (semi-quantitative) |

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment (see listings below)**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
- **Breathing equipment:**
Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves:**

Protective gloves.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses with side shields.



Tightly sealed goggles

· **Body protection:** Protective work clothing.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

| | |
|---------------------------|------------------|
| · Form: | Pasty |
| · Color: | Bronze colored |
| · Odor: | Hydrocarbon-like |
| · Odour threshold: | Not determined. |

· **pH-value:** Not applicable.

· **Change in condition**

| | |
|-------------------------|---------------|
| · Melting point: | Undetermined. |
| · Boiling point: | 178°C (352°F) |

· **Flash point:** 40°C (104°F)

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:** 230°C (446°F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Flammable limits:**

| | |
|-----------------|-----------|
| · Lower: | 1.1 Vol % |
| · Upper: | 6.0 Vol % |

· **Vapor pressure:** Not applicable.

· **Specific gravity at 20°C (68°F):** 1.32 g/cm³ (11.015 lbs/gal)

· **Relative density** Not determined.

· **Vapour density** Not applicable.

| | |
|---|----------------------|
| · Solubility in / Miscibility with Water: | Insoluble |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not applicable. |
| Kinematic: | >20.5cSt |
| · Solvent content: | |
| Organic solvents: | 20 % |
| Solids content: | 80.0 % |
| · Other information | VOC Content = 240g/L |

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flames, sparks.
- **Incompatible materials:** Reacts with strong oxidizing agents.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** May irritate the skin.
- **on the eye:** May irritate the eye.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
Due to the form of this product, exposure to the potentially carcinogenic components is not expected.
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

| | | |
|-------------|--|----|
| 112926-00-8 | Precipitated silica (Silica-Amorphous) | 3 |
| 1333-86-4 | Carbon black | 2B |
| 1309-37-1 | diron trioxide | 3 |
| 100-41-4 | ethylbenzene | 2B |

· **NTP (National Toxicology Program)**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

* **12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Do not allow product to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

* **13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**
Small amounts can be disposed of with household waste after the product has cured or skinned over. Larger quantities should be disposed of according to state and local regulation.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

* **14 Transport information**

| | |
|---|--|
| · UN-Number · DOT, ADR, ADN, IMDG, IATA | Not regulated. |
| · UN proper shipping name · DOT, ADR, ADN, IMDG, IATA | Not regulated. |
| · Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class | Not regulated. |
| · Packing group · DOT, ADR, IMDG, IATA | Not regulated. |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | This product is not classified as a Division 4.1 Flammable Solids according to UN Test N.1 Test Method for Readily Combustible Solids. |
| · UN "Model Regulation": | - |

USA

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

100-41-4 ethylbenzene

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

· Chemicals known to cause cancer:

1333-86-4 Carbon black

100-41-4 ethylbenzene

· Chemicals known to cause reproductive toxicity:

None of the ingredients are listed.

· (DSL) Canada Domestic Substance List

All components of this product are on the DSL (Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

100-41-4 ethylbenzene

D

· TLV (Threshold Limit Value established by ACGIH)

1332-58-7 Kaolin

A4

1333-86-4 Carbon black

A4

1309-37-1 diiron trioxide

A4

100-41-4 ethylbenzene

A3

· MAK (German Maximum Workplace Concentration)

1333-86-4 Carbon black

3B

100-41-4 ethylbenzene

3A

· NIOSH-Ca (National Institute for Occupational Safety and Health)

1333-86-4 Carbon black

· National regulations:

· Water hazard class: Not determined.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, CRL makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will CRL or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· Department issuing SDS: Environment protection department.

- **Creation Date:** 11/17/2014
- **Date of preparation / last revision** 02/16/2015 / 4
- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Carc. 2: Carcinogenicity, Hazard Category 2

USA