# **CRL Online**

# **MATERIAL SAFETY DATA SHEET**

Company Name:
Address:
C: R. LAURENCE CO., INC.
2503 E. VERNON AVE.
City / State / Zip:
LOS ANGELES / CA / 90058

 US-CHEMTREC Phone(I):
 (800)424–9300

 US-CHEMTREC Phone(II):
 (703)527–3887

 CAN-CANUTEC Phone:
 (613)996–6666

 Vendor Update:
 12/17/2002

 Date Prepared:
 7/18/2003

MSDS Number: CNA12B; CNA34B;

#### I. CHEMICAL PRODUCT IDENTIFICATION

**Product Name:** CORK NO ADHESIVE SHIPPING PADS – PART 1

HMIS Ratings: NFPA Ratings:

II. COMPOSITION, INFORMATION ON INGREDIENTS								
Chemical Ingredients	C.A.S. Number	% By Weight	ACGIH TLV TWA/STEL	OSHA PEL TWA/STEL	Other TWA/STEL	LD50	LC50	
POLYURETHANE BINDER AND CORK								
Notes								
Other:	POLYURET	POLYURETHANE BINDER AND CORK (SUBERIN, LIGNIN AND CELLULOSE)						

# **III. HAZARDS IDENTIFICATION PRIMARY ROUTE OF ENTRY**

Medical Conditions Aggravated by Exposure:

Other: GENERAL DESCRIPTION: NOT CLASSIFIED UNDER EEC RULES.

IV. FIRST AID MEASURES

**Eyes:** FLUSH EYES WITH RUNNING WATER FOR SEVERAL MINUTES WHILE HOLDING

EYELIDS OPEN. CONSULT A PHYSICIAN IF THE IRRITATION PERSISTS.

Skin: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. NO EFFECTS

REQUIRING FIRST AID ARE EXPECTED.

Inhalation: AFTER INHALATION OF VAPORS, REMOVE PATIENT TO FRESH AIR AT ONCE.

CONSULT A PHYSICIAN IMMEDIATELY.

**V. FIRE FIGHTING MEASURES** 

Flash Point: N/A

Lower Flammability N/A

Limit:

Upper Flammability N/A

Limit:

Extinguishing Agents: WATER, ABC DRY CHEMICAL OR PROTEIN TYPE AIR FOAMS ARE RECOMMENDED

MEDIA. CARBON DIOXIDE AS A LACK OF COOLING CAPACITY MAY RESULT IN

REIGNITION.

Unusual Fire or THE PRODU

THE PRODUCT BURNS AND GIVE OFF TOXIC FUMES.

**Explosion Hazards:** 

**CRL Online** 

Fire Fighting BEFORE EXTINGUISHING THE FIRE, WEAR SELF-CONTAINED BREATHING

**Procedures:** APPARATUS.

**VI. ACCIDENTAL RELEASE MEASURES** 

Containment/Cleanup: SWEEP, SHOVEL, OR VACUUM CRUMBS OR CHUNKS INTO CLOSED CONTAINERS

FOR REUSE OR DISPOSAL.

**VII. HANDLING AND STORAGE** 

Other: NO SPECIAL PRECAUTIONS NECESSARY. STORAGE SHOULD BE ACCORDING TO ISO

2230. THE STORAGE ACCOMMODATION SHOULD BE COOL, BELOW 25°C, DRY AND

MODERATELY VENTILATED.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Skin: GLOVES: USE GLOVES AND NORMAL WORKING CLOTHES TO AVOID CONTACT

WITH SKIN.

IX. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** LIGHT BROWN LOGS, ROLLS, REELS OR SHEETS

pH: N/A

Solubility in Water: INSOLUBLE IN WATER

**Specific Gravity:** 0.160 MIN.

**Other:** AUTOIGNITION TEMPERATURE: NOT DETERMINED.

X. STABILITY AND REACTIVITY

Stability: NO SPECIAL DATA ON THIS PRODUCT. AVOID OVERHEATING. START OF

EXOTHERMAL DECOMPOSITION AT ABOUT 200°C - 250°C.

XI. TOXICOLOGICAL INFORMATION

Acute Toxicology

Data:

NO DATA AVAILABLE ON THIS PRODUCT. HOWEVER EVIDENCE AFTER MANY

YEARS OF USE SUGGEST THAT IT DOES NOT REQUIRE CLASSIFICATION UNDER EEC

LAW.

XII. ECOLOGICAL INFORMATION

**Ecotoxicity:** NO DATA AVAILABLE, SOLID MATERIAL INSOLUBLE IN WATER.

Persisitence and

BIOLOGICAL DEGRADATION: DEGRADATION RESISTANT.

Degradation:

XIII. DISPOSAL CONSIDERATIONS

Disposal Method: PRODUCT: LANDFILL OR INCINERATION IN ACCORDANCE WITH FEDERAL, STATE

AND LOCAL REGULATIONS. ALWAYS CONSULT THE RELEVANT LOCAL

AUTHORITY BEFORE DISPOSAL. <B>PACKAGE: AFTER CLEANING PREPARE TO

REUSE.

**XIV. TRANSPORT INFORMATION** 

D.O.T. Shipping

NOT REGULATED

Name:

XV. REGULATORY INFORMATION

Supplemental State

Compliance

# **CRL Online**

Information:

Other: EEC LABELING: NOT CLASSIFIED.

# **XVI. OTHER INFORMATION**

# WARRANTY INFORMATION

THIS INFORMATION IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE WHETHER

THEY ARE APPROPRIATE.