

MATERIAL SAFETY DATA SHEET

Company Name: FOMO PRODUCTS INC
Address: P O BOX 1078 2775 BARBER ROAD
City / State / Zip: NORTON / OH / 44203
US-CHEMTREC Phone(I): (800)424-9300
US-CHEMTREC Phone(II): (703)527-3887
CAN-CANUTEC Phone: (613)996-6666
Vendor Update: 10/5/2001
Date Prepared: 10/2/2002
MSDS Number: FOM014 ;

I. CHEMICAL PRODUCT IDENTIFICATION

Product Name: FOM0CLEAN SOLVENT – FOAM REMOVER
HMIS Ratings:

Health: Moderate(2)
 Flammability: Serious(3)
 Instability/Reactivity: Minimal(0)

NFPA Ratings:

Health: Moderate(2)
 Flammability: Serious(3)
 Instability/Reactivity: Minimal(0)

II. COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Ingredients	C.A.S. Number	% By Weight	ACGIH TLV TWA/STEL	OSHA PEL TWA/STEL	Other TWA/STEL	LD50	LC50
ACETONE	67-64-1	60-100	750PPM	750PPM		N/A	N/A
Notes							
CARBON DIOXIDE (COMPRESSED GAS)	124-38-9	5-10	5000PPM	1000PPM		N/A	N/A
Notes							
Other:	NONE OF THE COMPONENTS IN THIS PRODUCT ARE LISTED BY IARC, NTP, OSHA OR ACGIH AS A CARCINOGEN.						

III. HAZARDS IDENTIFICATION PRIMARY ROUTE OF ENTRY

Eyes: LIQUIDS AND VAPORS ARE AN IRRITANT TO THE EYES, CAUSING PAIN, LACRIMATION AND GENERAL INFLAMMATION.

Skin: MAY BE MILDLY IRRITATING TO SKIN. CONTINUED EXPOSURE MAY LEAD TO A DERMATITIS CONDITION, OR DRYING OF SKIN.

Ingestion: MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION. MAY CAUSE IRRITATION OF MUCOUS MEMBRANES WITH VOMITING. IF VOMITING RESULTS IN ASPIRATION, CHEMICAL PNEUMONIA COULD FOLLOW.

Inhalation: REPEATED AND PROLONGED EXPOSURE TO ORGANIC SOLVENTS AT OR ABOVE LEVELS PRODUCING BEGINNING ANESTHETIC EFFECTS, SUCH AS DIZZINESS OR LIGHTHEADEDNESS, MAY CAUSE PHYSIOLOGICAL INJURY AND SHOULD BE AVOIDED. EXPOSURE TO EXTREMELY HIGH VAPOR CONCENTRATIONS CAN CAUSE DEATH. MAY IRRITATE RESPIRATORY TRACT.

Medical Conditions
Aggravated by
Exposure:
Other: PHYSICAL HAZARDS: SINCE THE CONTAINERS ARE PRESSURIZED, STORAGE TEMPERATURE SHOULD NOT EXCEED 120°F (49°C) IN ORDER TO AVOID EXCESSIVE PRESSURE BUILD-UP AND POSSIBLE CONTAINER RUPTURE. DUE TO HIGH

FLAMMABILITY, NEVER USE NEAR SPARKS, FLAME OR OTHER SOURCES OF IGNITION.

IV. FIRST AID MEASURES

Eyes:	FLUSH WITH CLEAN WATER FOR AT LEAST 15 MINUTES AND OBTAIN MEDICAL ATTENTION.
Skin:	WASH AFFECTED AREA THOROUGHLY WITH MILD SOAP AND WATER. AFTERWARDS, A MILD SKIN CREAM MAY BE APPLIED TO IRRITATED SKIN. IF IRRITATION PERSISTS, OBTAIN MEDICAL ATTENTION.
Ingestion:	DRINK SEVERAL GLASSES OF WATER AND SEEK IMMEDIATE MEDICAL ATTENTION. NEVER GIVE ANYTHING ORALLY TO AN UNCONSCIOUS PERSON. DO NOT INDUCE VOMITING.
Inhalation:	MOVE TO AREA OF FRESH AIR. IF BREATHING DIFFICULTIES DEVELOP, OXYGEN SHOULD BE ADMINISTERED BY QUALIFIED PERSONNEL. SEEK IMMEDIATE MEDICAL ATTENTION.

V. FIRE FIGHTING MEASURES

Flash Point:	BASED ON ACETONE -4.0°F(-20.0°C)
Test Method:	TCC
Fire Fighting Procedures:	HIGH TEMPERATURES WILL RAISE THE PRESSURE IN THE CONTAINERS, WHICH MAY LEAD TO RUPTURING. PRODUCT IS EXTREMELY FLAMMABLE. EXTINGUISHING MEDIA INCLUDE: DRY CHEMICAL, CARBON DIOXIDE, HALON 1211, CHEMICAL FOAM, OR WATER SPRAY IF USED IN LARGE QUANTITIES. WEAR SELF-CONTAINED BREATHING APPARATUS TO PROTECT AGAINST TOXIC DECOMPOSITION BY-PRODUCTS, INCLUDING CO AND CO ₂ .

VI. ACCIDENTAL RELEASE MEASURES

Containment/Cleanup:	PROVIDE VENTILATION AND ISOLATE AREA. ABSORB SPILL WITH SAWDUST OR VERMICULITE. WASH SPILL AREA, PREVENTING RUN-OFF TO DRAINS, SEWERS, OR WATERWAYS. DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL REGULATIONS. MATERIALS USED IN CLEANING UP SPILL MAY BE CONSIDERED HAZARDOUS WASTE. BEFORE DISPOSING OF PRODUCT CONTAINER, RELIEVE ALL REMAINING PRESSURE AND CLEANING AGENT.
-----------------------------	---

VII. HANDLING AND STORAGE

Other:	STORE IN A COOL, DRY PLACE. IDEAL STORAGE TEMPERATURE IS 60°F TO 80°F (15.5°C TO 26.6°C). PROTECT CONTAINERS FROM PHYSICAL ABUSE. PROTECT UNUSED PRODUCT FROM FREEZING.
---------------	---

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes:	SAFETY EYE WEAR
Skin:	PERSONAL PROTECTIVE EQUIPMENT SHOULD INCLUDE CHEMICAL RESISTANT GLOVES AND LONG SLEEVE WORK CLOTHES.
Respiratory:	IF VAPOR LEVELS ARE EXPECTED TO EXCEED THESE GUIDELINES, USE NIOSH/MSHA APPROVED, POSITIVE PRESSURE, SUPPLIED AIR RESPIRATOR.
Engineering:	ADEQUATE VENTILATION SHOULD ALSO BE EMPLOYED SO THAT VAPOR LEVELS DO NOT EXCEED RECOMMENDED GUIDELINES.

Other: READ ALL PRODUCT INSTRUCTIONS BEFORE USING. EXERCISE GOOD PERSONAL HYGIENE, WASH THOROUGHLY AFTER EACH USE.

IX. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: CLEAR, THIN LIQUID
Boiling Point: 133.0°F (56.1°C)
Solubility in Water: NEGLIGIBLE
Specific Gravity: 0.8 (H₂O=1)
Vapor Pressure: CONTAINER:50PSIG/345.KPA LIQ:125MMHG AT 25°C(77°F)
Other: EXPLOSION DATA: CONTENTS ARE NOT KNOWN TO BE SENSITIVE TO MECHANICAL IMPACT.

X. STABILITY AND REACTIVITY

Stability: THIS PRODUCT IS CONSIDERED STABLE UNDER NORMAL AND ANTICIPATED STORAGE AND HANDLING CONDITIONS. DO NOT STORE ABOVE 120°F (49°C). FOR LONGEST SHELF LIFE, AVOID STORAGE ABOVE 80°F (26.6°C). AVOID ALCOHOLS, STRONG BASES OR AMINES AND METAL COMPOUNDS (SUCH AS SMALL PARTICLE METAL CATALYSTS), AND REDUCING AGENTS.

XI. TOXICOLOGICAL INFORMATION

XII. ECOLOGICAL INFORMATION

Ecotoxicity:

XIII. DISPOSAL CONSIDERATIONS

Disposal Method: BEFORE DISPOSING OF PRODUCT CONTAINER, RELIEVE ALL REMAINING PRESSURE AND CLEANING AGENT.

XIV. TRANSPORT INFORMATION

Other: CONTAINER LESS THAN 1000 CU.CM(1LITER) I.E. 12 OZ. GROUND:CONSUMER COMMODITY ORM-D (ON SHIPPER CARTON). CONSUMER COMMODITY HANDI-FORM POLYURETHANE CLEANER (ON SHIPPING DOCUMENT).AIR: AEROSOLS, FLAMMABLE 2.1 UN 1950 (FLAMMABLE GAS LABEL).WATER: AEROSOLS, FLAMMABLE 2.1 UN 1950 (WITH A CAPACITY OF 1000 CU.CM. OR LESS)(NO HAZARD LABELS REQUIRED) BOXES OR CARTONS SHOULD BE MARKED (AEROSOLS UN 1950) ONLY. IMDG VOLUME #2, PAGE #93.NOTE: EMERGENCY RESPONSE GUIDE NUMBERS – CONSUMER COMMODITY #171, AEROSOLS #126.

XV. REGULATORY INFORMATION

TSCA Status: ALL INGREDIENTS ARE LISTED ON THE TSCA INVENTORY, AS WELL AS THE CANADIAN DOMESTIC SUBSTANCES LIST.

EPA Sara Title III Chemical Listings: CONTAINS NO MATERIALS SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III.

Supplemental State Compliance Information: THE U.S. EPA HAS EXEMPTED THIS PRODUCT FROM V.O.C. STATUS.

California: BASED ON INFORMATION CURRENTLY AVAILABLE, THIS PRODUCT IS NOT KNOWN TO CONTAIN DETECTABLE AMOUNTS OF ANY CHEMICALS CURRENTLY LISTED UNDER CALIFORNIA PROPOSITION 65.

XVI. OTHER INFORMATION

WARRANTY INFORMATION

THIS INFORMATION IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE WHETHER THEY ARE APPROPRIATE.