
THIS TEMPLATE COVERS REGULAR ARM INSTALLATIONS TO 180° OPENINGS.

Reveals of 23/4" to 5 1/2" require "Top jamb" Forearm Extender Accessory and must be ordered extra.



Same dimensions apply for Left Hand Door measured from the hinge edge.

LEFT HAND DOOR ILLUSTRATED


INSTALLATION INSTRUCTIONS

- 1. Select degree of opening and use dimensions shown in above template to mark four holes on frame for closer and two holes on frame for arm shoe.
- 2. Drill pilot holes in door and frame for #14 wood screws or drill and tape for 1/4-20(M6x1.0) machine screws.
- 3. Mount closer on door WITH SPEED REGULATING SCREW TOWARD HINGE EDGE.
- 4. Place main arm on shaft on bottom of closer at proper index mark as illustrated. FOR RIGHT HAND DOOR No .4 (illustration "A") FOR LEFT HAND DOOR No .1 (illustration "B"). Tighten arm screw with lockwasher securely.
- 5. Attach the arm shoe of the forearm to the door..
- 6. Adjust length of forearm so when it is attached to main arm it will be at a right angle (90°) to door when door is closed and assemble at elbow then tighten locknut.

ADJUSTMENT INSTRUCTIONS

CLOSING POWER — Asper "Spring Tension Chart" select the correct number of turns for spring adjustment nut that corresponds with the installation. Using 3/16" (5mm) allen key, turn adjustment nut full 360° clockwise turns to desired setting.

SPEED — Door closing and latching speeds are controlled by #1,#2 speed regulating screw separately. A. Clockwise turns slow the speed. B. Counterclockwise turns increase the speed.-



BACK-CHECK ADJUSTMENT — is controlled by the adjustment valve, BACK-CHECK Is now set for soft action. To INCREASE Back-check action turn valve CLOCKWISE. To DECREASE, or to TURN OFF Backcheck action turn valve COUNTER CLOCKWISE.

DELAYED CLOSING ACTION — is controlled by the Delayed Closing Action Adjustment Valve marked DA on the closer. Delayed Closing Action is now truned off. To TURN ON, or to INCREASE Delayed Closing Action turn valve CLOCKWISE to desired delay time. To DECREASE, or to TRUN OFF Delayed Closing Action turn valve COUNTER LOCKWISE.

LATCHING POWER — has been set at factory for average conditions. If more latching power is required, move forearm from center hole in arm shoe to hole closest main arm. If less latching power is required, move forearm to hole farthest from main arm.

COVER — Cutout correct notch for shaft and place dress cover over closer. Attach with truss head machine screw provided, or push COVER CAP over shaft without DRESS COVER.

