



LEED CERTIFICATION

September 29, 2019

Supplier Address:

C.R. Laurence Co., Inc.
2503 E. Vernon Ave
Los Angeles, CA 90058-1826
Telephone: (323) 588-1281

Catalog Number: RTV408 - LEEDv.4

Materials & Resources Credit 4: The percentage of postconsumer and preconsumer recycled content of RTV408 is zero and therefore cannot contribute to this credit.

Materials & Resources Credit 5: This credit relates to 10 – 20% of the total material cost of products extracted, harvested, or recovered, as well as manufactured within 500 miles of the building site location. Because of Premier Building Solutions’ supply chain, distances between suppliers and manufacturing sites, RTV408 cannot contribute to this credit.

Low Emitting Materials Product VOC Information

This document confirms VOC quantitative data of the product listed below, as a contribution toward satisfying IEQ Credit 4 under LEED. Products are not reviewed or certified under LEED. LEED credit requirements cover the performance of material in aggregate, not the performance of individual products or brands. For more information on LEED, visit www.usgbc.org/leed.

RTV408 is a silicone architectural sealant with a VOC content of 30 g/L, less water and exempt solvents. VOC levels are lower than the limits established by SCAQMD Rule 1168. Premier Building Solutions performs EPA Method 24 when measuring VOC emissions. RTV408 has not been tested in accordance with CDPH Standard Method v1.1.

Should you have any questions or require additional information, please contact your C.R. Laurence Sales Representative.

Thank you,

Debra Heeter
R&D Lab Manager

This information is provided in good faith and believed to be accurate based on a review of current composition and information supplied by vendors. No warranty is expressed or implied. Liability is expressly disclaimed.

