CRL Online

MATERIAL SAFETY DATA SHEET

Company Name:
Address:
City / State / Zip:
C.R. LAURENCE CO., INC.
2503 E. VERNON AVE.
LOS ANGELES / CA / 90058

 US-CHEMTREC Phone(I):
 (800)424–9300

 US-CHEMTREC Phone(II):
 (703)527–3887

 CAN-CANUTEC Phone:
 (613)996–6666

 Vendor Update:
 7/28/2009

 Date Prepared:
 7/28/2009

MSDS Number: FC250C; FC250R; FC312C; FC312R; FC375C;

FC375R; FD250R; FD312R; FD375R;

I. CHEMICAL PRODUCT IDENTIFICATION

Product Name: FOAM W/S DAM TAPE – PART 2

HMIS Ratings:

Health: Minimal(0) Flammability: Minimal(0)

Instability/Reactivity: Minimal(0)

NFPA Ratings:

Health: Minimal(0) Flammability: Minimal(0) Instability/Reactivity: Minimal(0)

II. COMPOSITION, INFORMATION ON INGREDIENTS								
Chemical Ingredients	C.A.S. Number	% By Weight	ACGIH TLV TWA/STEL	OSHA PEL TWA/STEL	Other TWA/STEL	LD50	LC50	
NONE								
Notes								
Other:	THIS MATE	THIS MATERIAL IS CLASSIFIED AS AN ARTICLE UNDER CFR 1910.1200C.						

III. HAZARDS IDENTIFICATION PRIMARY ROUTE OF ENTRY

Eyes: SMALL PARTICLES MAY CAUSE IRRITATION.

Skin: N/E

Ingestion: UNLIKELY ROUTE OF EXPOSURE.

Inhalation: UNLIKELY ROUTE OF EXPOSURE.

Signs and Symptoms of Exposure:

Medical Conditions Aggravated by N/E

Exposure:

Other: CARCINOGENICITY: NTP:N; IARC:N; OSHA:N.

IV. FIRST AID MEASURES

Eyes: FLUSH WITH WATER. IF IRRITATION PERSISTS, CONSULT A

PHYSICIAN.

Skin: IF RASH OR IRRITATION DEVELOPS, WASH WITH SOAP AND WATER.

IF RASH OR IRRITATION PERSISTS, CONSULT A PHYSICIAN.

Ingestion: NO ADVERSE AFFECTS ANTICIPATED BY THIS ROUTE OF EXPOSURE.

Inhalation: N/E

CRL Online

V. FIRE FIGHTING MEASURES

Flash Point: N/A

Lower Flammability Limit: N/A

Upper Flammability Limit: N/A

Extinguishing Agents: WATER, CO2, DRY CHEMICAL FOAM.

Unusual Fire or Explosion Hazards: N/A

Fire Fighting Procedures: RECOMMEND NIOSH/MSHA APPROVED SELF-CONTAINED

BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING BE

WORN.

VI. ACCIDENTAL RELEASE MEASURES

Containment/Cleanup: N/A

VII. HANDLING AND STORAGE

Other: AVOID STORAGE IN CONFINED AREAS WHERE TEMPERATURES MAY

EXCEED 40°C(104°F).

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Skin: RECOMMENDED LIGHT TO MEDIUM DUTY CLOTH OR LEATHER

GLOVES AND APROVED SAFETY GLASSES.

Engineering: LOCAL EXHAUST VENTILATION IS RECOMMENDED FOR CONTROL OF

AIRBORNE DUST, FUMES AND VAPORS IN CONFINED AREAS.

IX. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: SHEET MATERIAL: BLACK

Boiling Point: N/A

Solubility in Water: INSOLUBLE

Specific Gravity:N/AVapor Pressure:0.1Vapor Density:N/A

X. STABILITY AND REACTIVITY

Stability: STABLE

Hazardous Decomposition

UPON COMBUSTION, HCL HCN AND OTHER HAZARDOUS GASES MAY

BE EVOLVED.

Incompatible Products: N/A

XI. TOXICOLOGICAL INFORMATION

XII. ECOLOGICAL INFORMATION

Ecotoxicity:

Products:

XIII. DISPOSAL CONSIDERATIONS

CRL Online

Disposal Method: NOT A RCRA HAZARDOUS WASTE. DISPOSE OF IN ACCORDANCE

WITH LOCAL, STATE AND FEDERAL REGULATIONS.

XIV. TRANSPORT INFORMATION

XV. REGULATORY INFORMATION

Supplemental State Compliance

Information:

XVI. OTHER INFORMATION

WARRANTY INFORMATION

THIS INFORMATION IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE WHETHER

THEY ARE APPROPRIATE.